

Cumulative Index 1997

VOLUME 9

March	ETHICAL DECISION MAKING IN THE CRITICAL CARE PATIENT, pages 1-139
June	VIOLENCE ACROSS THE LIFESPAN: IMPLICATIONS FOR CRITICAL CARE, pages 141-249
September	CONSCIOUS SEDATION, pages 251-446
December	CARDIOVASCULAR DISEASE IN WOMEN, pages 447-618

Note: Page numbers of article titles are in **boldface** type.

- Abrasions, from bombing incidents, 234
- Absorption, of drug, during menstrual cycle, 463
 - gastrointestinal, 460
 - gender differences in, 460
 - in adipose tissue versus muscle, 460
 - in lungs, 460
- Abuse, assessment of, 146-147
 - child, **175-182**
 - during pregnancy, **149-159**. See *Pregnancy, abuse during*.
 - forms of domestic, 144-145
 - of elderly. See *Elder mistreatment (elder abuse)*.
 - of frail elderly. See *Elder mistreatment (elder abuse)*.
 - physical and sexual, **141-148**
- Abusers, domestic, 144, 159-161
 - of children, 142
 - of elderly, 145-146
 - of pregnant women, 150
- Abusive relationships, women who return to, **159-165**
 - gender role stereotyping and, 162-163
 - literature review of, 160-161
 - health care, 160
 - legal, 160
 - nursing, 161
 - medical patriarchy and, 161
 - reasons for, 160
 - social issues in, 163
 - victim blaming and, 161-162
- Acupuncture, 594
- Acute myocardial infarction (AMI), symptoms of,
 - gender differences in, 455
- Addenbrooke's Sedation Score, revised, 401
- Adolescents, exposure to violent act, developmental considerations and, 213, 215
 - reaction to, 213
 - firearm fatalities in, 203
 - suicide in, 203
- Adult Protective Services (APS), 189
- Adults, reactions to violence, influence on children, 214
- Advance directive(s), as legal document, 56-57
 - boilerplate documents versus specifically tailored, 54
 - competence and, 53-55
 - description of, 53
 - durable power of attorney for health care, 98
 - execution of, 54
 - family counseling and, emotions and, 56
 - pre-existing document versus execution in present crisis, 55
 - responsibility issues in, 55-56
 - risks in, 56
 - for family decision making, 111
 - for withholding or withdrawing of treatment, 61
 - health care proxy designation, 53
 - samples of, 58-59
 - living will, 53, 97-98
 - nurse's role in counseling families about, **53-61**
 - patient-advocate, acceptance of, 59
 - designation of, 58
 - patient's intent in, family versus medical personnel and, 57
 - power of attorney for, special, 60
 - to physicians and providers of medical services, 60-61
- Adverse drug events, in conscious sedation,
 - monitoring for, 287
- Advocacy, doctors' role in, 23-24
 - in elder mistreatment, 190
 - nursing ethics and, 76

- Advocacy (*Continued*)
 nursing role in, 22
 social work role in, 24
 view on, of medicine, 23-24
 of nursing, 22-23
 of social work, 24
- African-Americans, ethical decision making and, 68-69
 ethical decision making by, communication and, 68
 family structure and, 68-69
 time concept of, 67
 women, heart failure in, 512-513
 young, homicide in, 202
 suicide in, 203
- Aggression, as hospital violence, 222
- Aggressive behaviors, defusion of, 226-227
 description of, 222
- Aggressive care, technological imperative and, 107-108
 usefulness of, 19
- Aging, physiologic changes in, cardiovascular, 372
 central nervous system, 374
 gastrointestinal, 374
 renal, 373-374
 respiratory, 372-373
- Alcohol use, guidelines for, nurses' role in, 483-484
- AMA. See *American Medical Association (AMA)*.
- Ambulatory procedures. See also *Ambulatory setting*.
 conscious sedation in, **361-370**
 administration of, 366
 assessment for, diagnostic, 364
 preprocedure, 363
 psychosocial, 364
 discharge following, criteria for, 366-368
 instructions in, 368-369
 transportation and, 368
 emergency equipment for, 366
 history and physical examination for, 363-364
 informed consent for, 365
 intra- and postprocedure care in, 365-366
 monitoring in, 365
 patient education for, 364
 staffing for, 365
- Ambulatory setting. See also *Ambulatory procedures*.
 conscious sedation, practice issues in, 361-363
 examples of, 361
- American Medical Association (AMA), elder
 mistreatment and, definitions of, 184-185
 screening questions for, 187
- AMI (acute myocardial infarction), symptoms of,
 gender differences in, 455
- Amines, avoidance of, in mitral valve prolapse
 syndrome, 559
- Analgesics, in conscious sedation, **281-288**. See also
 under *Sedatives*.
 monitoring of, 287
 opiate, 281-286
 kappa opioid, response to, 456-457
- Anesthesia, in interventional radiologic oncology,
 local, 348
 regional techniques, 348-349
- Anesthetics, intravenous, in implantable cardioverter
 defibrillator placement, 330-331
 topical, in endoscopy, 358
- Aneurysm, cerebral, familial, 484
 in women, hemorrhagic stroke from, 482-483
- Angina pectoris, comparison of Rose Questionnaire
 and thallium-201 scans, gender and, 455
 symptom onset in, in women, 492
- Angiography, coronary, definition of, 472
 in women, issues in, 472
 post myocardial infarction, 473
 referral bias and, 472-473
 in cancer patient, 335
 radionuclide, advantages and limitations of, 471
 description of, 470-471
 gender differences with, 471
- Angiotensin-converting enzyme inhibitors (ACEIs), for
 heart failure, in women, 514-516
- Antiarrhythmic drug therapy, in women, risks with,
 547, 549
- Antibiotics, effect on oral contraceptives, 464
- Antidepressant drugs, pharmacodynamics of, gender
 differences in, 462
- Antiemetics, post conscious sedation, 319-322
 in radiologic oncology, interventional, 351
- Antiepileptic drugs, pharmacodynamics of, gender
 differences in, 462
- Antihistamines, in conscious sedation, 305
- Antihypertensive agents, pharmacodynamics of, gender
 differences in, 462-463
- Antiplatelet therapy, following coronary artery bypass
 grafting, 501
 following percutaneous transluminal coronary
 angioplasty, 501
- Antipsychotic drugs, in women, hormone-related
 factors and, 462
 pharmacodynamics of, gender differences in,
 461-462
- Antithrombotic therapy, pharmacodynamics of, gender
 differences in, 463
- Anxiety, cognitive therapy for, 561
 in cardiac rehabilitation and recovery, gender
 differences in, 580-581
 in coronary heart disease, in women, 570-571
- APS (Adult Protective Services), 189
- Aromatherapy, 594
 essential oils in, 594-595
- Arrhythmias, in pregnancy, 550
 in women, **545-553**
 baseline electrocardiograms and, 545-546
 in coronary artery disease, 547-548
 in left ventricular hypertrophy, 549
 in mitral valve prolapse, 549-550
 myocardial infarction-related, 548
 sudden cardiac death and, 548-549
 torsades de pointes, 547
- Assault, case study of, 237-238, 243
- Ateriovenous malformation (AVM), in women,
 hemorrhagic stroke from, 483
- Ativan. See *Lorazepam (Ativan)*.
- Atracurium besylate, in critically-ill patient, 408
- Atrial fibrillation, as risk factor, for stroke, in women,
 479-480
 in stroke prevention, nurses' role in, 481
- Attitudes, toward abused women, 162-163
 toward rape, 168
- Auscultation, in mitral valve prolapse syndrome, 557
- Authority, erosion of physician's, 116
- Autonomy, parental, in ethical decision making, 98-99
 limitations on, 98

- patient, doctors and, 23-24
 elder abuse and, 190
 erosion of, 116
 in ethical decision making, 30
 limitations of, 46
 nursing view of, 22-23
 on critical care unit, 45-46
 views on, of medicine, 23-24
 of nursing, 22-23
 of social work, 24
- Autopsy, organ donation coordination with, 89-90
- Battering, during pregnancy. See *Pregnancy, abuse during*.
- Benadryl. See *Diphenhydramine (Benadryl)*.
- Beneficence, 46
 in ethical decision making, 30
 standard of best interest and, 47
- Benzodiazepines, in conscious sedation, 281-285, 305-306
 in implantable cardioverter defibrillator placement, 329
 of elderly, 378
 overdosage of, flumazenil in, 330-331
 in interventional radiologic oncology, 342-344
 in intravenous conscious sedation, 254
 tolerance and cross tolerance with, 343
- Best interest standard, 47
 for children, 101, 103
 for incompetent patient, 98, 112
 in family decision making, 112-113
- Beta-blockers, for heart failure, in women, 515-516
- Bioethics. See *Ethics*.
- Blaming, of domestic violence victim, 161-162
- Blast injuries, from gun, 195
- Blast wave injuries, from bombing incidents, 233
- Blood, loss of, classification of, 197
- Body mass index, in women, 447
- Body size, cardiovascular surgery and, in women, 522
- Bombing incident, injury from, 233-234
- Bradycardias, in pregnancy, 550
- Brain death, Harvard criteria for, 86
- Breast-feeding, by heart transplant recipient, 531
- Brevitol Sodium. See *Methohexital (Brevitol Sodium)*.
- Bruises, in child abuse, 176
- Burns, in child abuse, 176
 sedation in, 407
- Butyrophenones, in conscious sedation, 287
- CABG. See *Coronary artery bypass grafting (CABG)*.
- CAD. See *Coronary artery disease (CAD)*.
- Caffeine, mitral valve prolapse syndrome and, 558
- Capnography, in conscious sedation, 317
- Carbohydrates, simple, mitral valve prolapse syndrome and, 559
- Cardiac catheterization, conscious sedation in, 308-309
 for myocardial infarction, in women, 493
- Cardiac disease, as risk factor, for stroke, in women, 479-480
- Cardiac pacemaker, placement of, conscious sedation in, 325-334. See also *Implantable cardioverter defibrillator (ICD)* placement.
- Cardiac transplantation, in women, 521-533
 antibodies and, preformed, 522-523
 complications in, 523-525
 future issues in, 531
 gender bias and, 521-522
 immunologic issues in, 522-523
 immunosuppression, psychosocial issues in, 525
 indications for, 521
 infection following, 524-525
 osteoporosis following, 525
 peripartum management of, 527-531
 survival rates in, 523
 by diagnosis, 523
 intrapartum period and, 529-530
 postpartum period and, 530-531
 pregnancy and, effect of physiologic changes of, 527-528
 pregnancy-related issues in, 525-531
 prenatal period and, risks of, fetal, 527, 529, 530
 maternal, 527, 529, 530
 prepregnancy issues in, 526-527
 rejection and, 523-524
- Cardiovascular anatomy and physiology in the female, 447-452
- Cardiovascular drugs, pharmacodynamics of, gender differences in, 462-463
- Cardiovascular procedures, conscious sedation in, 301-312
 assessment for, airway, 303
 ambulatory status in, 304
 anxiety level in, 304-305
 cardiovascular, 302-303
 for risk factors, 304
 physical, 303-304
 informed consent for, 304
 medications for, 306-308
 objectives of, 301-302
 patient teaching for, 304
- Cardiovascular system, aging of, 372
 in women, anatomy of, 447-448
 physiology of, exercise, 448-449
 physiology of, 449-451
 estrogen effects on, 450-451
 hemostasis in, 450
 lipid profile in, 449-450
 resting, 448
- Cardioversion, conscious sedation in, 310
- Caregivers, of violence victims, 239
 areas affecting, 241
 interventions with, 241-242
- Cavernous malformation, in women, hemorrhagic stroke from, 483
- Cavitation, in firearm injury, 194-196
- CDC (Centers for Disease Control and Prevention), in violence prevention, 198
- Ceasefire Oregon, for firearm injury and death, 242
- Celiac plexus block (CPB), in radiologic oncology, interventional, 349
- Centers for Disease Control and Prevention (CDC), in violence prevention, 198
- Central nervous system, aging of, 374
- Change, Feminist Therapy Code of Ethics and Code for Nurses and, in institutional, 77-78
 in social, 77
- Chemoembolization, of tumors, 335
 intravenous sedation and analgesia in, 339

- Chest pain, gender differences in, and correlation with coronary artery disease, 455
comparison of Rose Questionnaire and thallium-201 scans, 455
study of emergency department patients, 455-456
- Child abuse, **175-182**
categories of, 175
deaths from, 175
definition of, 141-142
emotional, 180-181
neglect, 180
physical, 175-178
prevalence of, 175
prevention of, types of, 181
reporting of, 172, 178, 179
sexual, 178-179
versus child neglect, 142
- Child Abuse and Prevention Act, The, 142
- Children. See also *Pediatrics*.
as witnesses of community violence, **211-220**
developmental considerations and, 212-214, 217
reaction to, 212-214
differences from adults, anatomic/physiologic, 382-383
pathologic/pharmacologic, 383-384
psychological/developmental, 382
vital sign parameters and, 383
firearm fatalities and, incidence of, 201
firearm injuries to, epidemiology of, 201-202
guns and trauma and, **201-210**
homicide and, 202-203
violence among, 203-204, 208
- Chiropractic, 595
- Chloral hydrate, in conscious sedation, in children, 389
- Chlorpromazine (Compazine), in conscious sedation, of elderly, 378
- Choice, in ethical decision making, 7
- Cigarette smoking, as risk factor, for coronary heart disease, in women, 490-491
for heart failure, 513-514
for stroke, in women, 480
cessation of, nurses' role in, 483-484
in stroke prevention, 481
- Cistracurium, in critically ill patient, 408-409
- Coagulation, in women, changes in parameters of, 541
promotion of, by devices, 540
- Code for Nurses, Feminist Therapy Code of Ethics and, 76-77
in nursing ethics forum, 125-126
- Cognition, in ethical decision making, family capacity for, 7
patient capacity for, 5-6
- Cognitive behavioral therapy, for stress, 572-573
- Colonoscopy, conscious sedation in, 357
- Comfort measures, for rape victims, 173
- Communication, culture and, nonverbal, 65-66
verbal, 65
with African-Americans, 68
- Community violence, child exposure to, chronic, developmental consequences of, 217
child witnesses of, **211-220**
child interview and, 216-217
incidence of, 211
long-term effects on, 217-218
reactions to, adult reactions and, 214
circumstances surrounding incident and, 213-214
immediate, 212
trauma and grief, 212-214
resiliency and, 218-219
response of, to immediate impact, 214
to trauma and grief, 215-217
- Compazine. See *Chlorpromazine (Compazine)*.
- Competence. See also *Incompetent patient*.
for informed consent, 97
in execution of advance directives, 53-55
- Competency, in conscious sedation, statements of, 362
in conscious sedation program, example of, **273-279**
- Complementary therapy(ies). See also *Holistic practices*.
acupuncture, 594
aromatherapy, 594
essential oils in, 594-595
chiropractic, 595
common, 592-596
healing strategies as, 596
herbalism, 591, 593-594
homeopathy, 593
lifestyle modification, 595-596
mind-body control, 591, 595
usage patterns for, 590
women and, 592
- Confidentiality, elder abuse reporting and, 189-190
- Conscious sedation, administration of, 257, **289-299**
by unlicensed assistive personnel, 362-363
cost of, **423-427**
education for, 290
guidelines for, **289-299**
in ambulatory setting, 366
in children, 384-387
intramuscular, 386
intravenous, 386
nasal, 385
oral, 385
rectal, 385-386
monitored anesthesia care versus registered nurse in, 424-425
nurse's role in, 289-290
responsibilities in, intraprocedure, 293
postprocedure, 296-297
preprocedure, 290-293
risk management and, 434-435
collaboration in, **251-272**
competence in, **273-279**
definitions of, 281, 301, 315, 326-327, 411-412, 430
goals in, 335-336
in ambulatory setting, **361-370**
in cardiovascular procedures, **301-312**
diagnostic, 308-309
emergent, 310-311
in high-risk patients, 310
therapeutic, 309-310
in critically ill patient, **395-410**
in elderly patient, **371-380**
in electrophysiology testing and radiofrequency catheter ablation, **313-324**
in endoscopy, **355-360**
in implantation of pacemakers and cardioverter defibrillators, **325-334**
in pacemaker implantation, **313-324**
in pediatrics, **381-394**
in radiofrequency catheter ablation, **313-324**

- in radiologic oncology, interventional, **335-353**
 level of, assessment of, 293-296
 medication for. See under *Medication*.
 monitoring of. See under *Monitoring*.
 national standards for, 361
 objectives of, 301
 practice issues in, current, **411-422**. See also
 Intravenous conscious sedation (IVCS); Practice
 issues, in conscious sedation.
 registered nurse practice in, 429-432
 reversal of, antagonists in, 311, 322, 330-331
 in children, 389
 risk management in, **429-440**
 sedatives and analgesics in, **281-288**. See also
 under *Analgesics*; *Sedatives*.
 terminology in, 430
 versus deep sedation, 315
 Conscious Sedation Scale, 293-294
 Consent. See also *Informed consent*; *Presumed*
 consent.
 for organ donation, 85
 parental, 102
 Contraception, postheart transplantation, in women,
 526
 Contusions, from bombing incidents, 234
 Cooperative North Scandinavian Enalapril Survival
 Study (CONSENSUS), 515-516
 Coronary artery bypass grafting (CABG), as risk factor,
 for myocardial infarction, in women, 493
 gender differences in, for baseline characteristics,
 497-498
 for operative mortality following, 498-499
 for outcomes following, long-term, 499-500
 for pain reports following, 456
 for risk factors following, 500-501
 Coronary artery disease (CAD). See also *Coronary*
 heart disease (CHD).
 diagnosis of, exercise electrocardiography, 470
 noninvasive methods in, 470-472
 radionuclide angiography, 470-471
 stress echocardiography, 472
 stress thallium scintigraphy, 471-472
 in women, detection of, **469-475**
 mortality from, 469
 noninvasive tests for, nursing implications in, 473
 rhythms associated with, gender differences in,
 547-548
 risk reduction interventions in, estrogen replacement
 therapy, 503-505
 lipid management, 501-502, 504
 physical activity, 503-504
 smoking cessation, 501-502, 504
 weight loss, 503-504
 Coronary Artery Surgery Study (CASS), gender as heart
 failure risk in, 513
 Coronary heart disease (CHD). See also *Coronary*
 artery disease (CAD).
 as risk factor, for stroke, in women, 479
 comorbidity in, anxiety, 570-571
 depression, 569-570
 hypochondriasis, 571-572
 in women, as threat, 567-568
 experience of, environmental context of, 582
 research in, 584
 psychosocial issues in, 565-567
 as risk factor, 565-566
 diagnosis and, 566
 rehabilitation and, 566-567
 rehabilitation and recovery from, **577-587**
 anxiety in, 580
 cardiovascular critical care nurse role in,
 577-578
 depression in, 580
 expectations and, 583-584
 goals of, 578
 guidelines for, understanding and adherence to,
 582-583
 implications for practice and research in,
 582-584
 interpersonal relationships in, 581-582
 physical activity in, 578-579
 physiologic factors in, 578-580
 programs for, participation in, 578
 psychosocial factors in, 566, 567, 580-582
 quality of life and, 581
 return to work and, 579-580
 risk identification and modification in, 579,
 582
 role change and, 580-581
 sexual function in, 580
 social network behaviors and, 583
 social support and, 568
 stress and, **565-575**, 567-568
 risks for, cigarette smoking, 490-491
 diabetes, 492
 gender differences in, 490
 hormone replacement therapy, 491
 hypercholesterolemia, 491
 in women, 490-492
 oral contraceptives, 491
 Coronary revascularization. See also *Coronary artery*
 bypass grafting (CABG); Percutaneous
 transluminal cardiac angioplasty (PTCA).
 baseline characteristics in, gender differences in,
 497-498
 in women, **497-509**
 outcomes in, acute, 498-499
 long-term, 499-500
 risk factors following, 500-501
 assessment of, 502, 504
 interventions for, 501-505
 Cost, of conscious sedation administration, **423-427**
 by monitored anesthesia care versus registered
 nurse, 424-425
 direct, 425-426
 drugs in, 425
 indirect, 425-426
 reduction of, 426-427
 staff salaries, 425-426
 versus general anesthesia, 423-424
 of coronary artery disease testing, in women,
 nursing and, 473
 of herbals versus pharmaceuticals, 593
 of violent injuries, 239-240
 Cost effectiveness, Strategies to Investigate Clinical-
 Cost Kinetics program for, 37
 Cost-benefit, in ethical decision making, 9
 CPB (celiac plexus block), in radiologic oncology,
 interventional, 349
 Credentialing, for administration of intravenous
 conscious sedation, 253

- Critically ill patient, general anesthesia in, assessment
instruments in, 399-401
monitoring requirements in, 399
- neuromuscular blockade in, assessment of, 401-403
clinical criteria in, 403
peripheral nerve stimulator in, 401
train-of-four in, 401-402
- sedation in, **395-410**
baseline assessment for, 397-398
continuum of, 397-398
factors affecting, 395-397
for burns, 407
for delirium tremens, 406
for head injury, 403-405
for mechanical ventilation, 406
long-term, 407
short-term, 406-407
for myocardial infarction, 406
for open heart surgery, 405-406
for seizures, 405
indications for, 403-407
monitoring requirements in, for conscious
sedation, 398-399
for deep sedation, 399
need for, 395
neuromuscular blocking agents with, 407-409
pharmacology of, 407
selection of agents for, 407
standards of care in, 397
- Cross-training, in intravenous conscious sedation,
256-257
- Crush injuries, from bombing incidents, 233
- Culturally competent care, Short Culturologic
Assessment in, 72
strategies for, 72
translators in, 72
- Culture(s), and relevance of ethical principles, 31
and self-determination, 63-64
awareness of, in patient and family, 72
in self, 72
ethical decision making and, African-American,
68-69
American mainstream values and, 64-65
basic concepts of, 64-65
definition of, 64
Filipino, 69-70
in ethical decision making, **63-74**
Jewish-American, 71
Latino, 68
Native-American, 70-71
of nursing unit, 71
Southeast Asian, 70
manifestations of, 65-68
communication, verbal and nonverbal, 65-66
family structure, 66
personal space and, 66
time orientation, 66-67
view of illness and health, 67-68
specific, application to case example, 65-68
- Death, criteria for, cardiopulmonary, 86
neurologic, 86
- Deep sedation, definitions of, 412
in critically-ill patient, monitoring requirements in,
399
- in elderly patient, 379
in implantable cardioverter defibrillator placement,
326-327
in pediatric patient, 381
- Delirium tremens, sedation in, 406, 408
- Demerol (meperidine). See *Meperidine (Demerol)*.
- Depression, in cardiac rehabilitation and recovery,
gender differences in, 580-581
in women, coronary heart disease and, 566
post myocardial infarction, 569-570
symptoms of, 569-570
- Diabetes, as risk factor, in women, for coronary artery
disease, 492
for heart failure, 513-514
for stroke, 480
- Diazepam (Valium), in conscious sedation, 282, 284,
305-306
in children, 388
in elderly, 378
in electrophysiology testing, 318, 320
in implantable cardioverter defibrillator placement,
329-330
in radiofrequency ablation, 318, 320
in interventional radiologic oncology, 343-344
- Dieting, mitral valve prolapse syndrome and, 559
- Digitalis Investigation Group (DIG), digoxin in heart
failure and, 514-516
- Digoxin, for heart failure, in women, 514-516
- Dilaudid (hydromorphone). See *Hydromorphone*
(*Dilaudid*).
- Diphenhydramine (Benadryl), in conscious sedation,
of elderly, 378
- Diprivan. See *Propofol (Diprivan)*.
- Disabled person, as rape victim, 172
prejudice against, 240
- Disaster management, in Oklahoma bombing,
231-236
injury profile in, 233-234
intensive care unit preparation in, 232
patient arrival and disposition, 233
rescue efforts following, 232
patient identification system in, 235
staff stress and, management of, 235
staffing planning for, 234-235
supplies management in, 234
visitor/volunteer control in, 236
- Discharge, postconscious sedation, 413-414
in cardiovascular procedures, 311
of ambulatory patient, 366-369
risk management and, 433-434
postconscious sedation, intravenous, 258
postsedation and analgesia, in interventional
radiologic oncology, 351
- Disseminated intravascular coagulation (DIC), in
pregnancy, 537-539
laboratory findings in, 538-539
treatment of, 538
- Distributive justice, 46
- Doctors, clinical judgment styles of, 17
information about patient and family and, 20
legal issues and, 21-22
perspectives of, 14
- Documentation, of abuse, during pregnancy, 153
of elder mistreatment, 188-189
- Domestic violence, 144
recognition of, 144-145

- treatment of, medical model in, 161
- woman victim in, nurses' role in, 159-160
- Do-not-resuscitate decision, of family of incompetent patient, 109
- Drug therapeutics, and pharmacology, gender-related considerations in, **459-468**. See also *entries under Pharmacology*.
- Durable power of attorney, 98
- Eastern Association for the Surgery of Trauma, recommendations for prevention of firearm violence, 198-199
- Echocardiography, in mitral valve prolapse syndrome, 558
 - stress, in women, 472
- Effectiveness, conflicts with efficiency, 39
- managerial decision making for, 38
- Efficacy, managerial decision making for, 38
- Efficiency, allocative, 38
 - conflicts with effectiveness, 39
 - managerial decision making for, 38-39
 - productive, 38-39
- Ehlers-Danlos syndrome, in women, hemorrhagic stroke from, 483
- Ejection fraction, in women, 448
- Elder abuse. See *Elder mistreatment (elder abuse)*.
- Elder mistreatment (elder abuse), **183-191**
 - Adult Protective Services and, 189
 - advocacy in, 190
 - background of, 183-184
 - case management in, 189
 - definitions of, American Medical Association, 184-185
 - documentation of, 188-189
 - ethical issues in, 189-190
 - examples of, 184-185
 - neglect as, 183
 - examples of, 185
 - pathogenesis and risk factors for, 186-187
 - prevalence of, 183, 186, 190
 - reporting of, 184, 188-189
 - paternalism versus patient autonomy in, 190
 - patient confidentiality and, 189-190
 - research in, 184-186
 - obstacles to, 184, 186
 - screening for, 187
 - abuser and, 187
 - American Medical Association questions for, 187
 - behaviors in, 188
 - physical findings in, 188
 - types of, 184
 - distribution of, 186
- Elderly. See also *Aging: Elder mistreatment (elder abuse)*; *Frail elderly*.
 - abuse and neglect of, assessment of victim of, 147
 - classification of, 146
 - recognition of, 145-146
 - as rape victim, 172
 - as victim of violence, interventions following, 241
 - conscious sedation in, antihistamine in, 378
 - assessment for, pre-, peri-, and postprocedural, 376-377
 - basic principles of, 376-377
 - benzodiazepines in, 378
 - major tranquilizers in, 378-379
 - opiates in, 377-378
 - phenothiazines in, 378
 - practical considerations in, **371-380**
 - systems changes and, 372-374
 - deep sedation in, intravenous hypnotic, 379
 - mistreatment of, **183-191**
 - pharmacodynamics in, 376
 - pharmacokinetics in, 374-376
- Electrocardiogram, configuration of, gender differences in, 449
 - in exercise testing, in women, 448-449
 - in women, 449
- Electrocardiography, exercise, in women, 448-499, 470
 - resting, gender differences in, 469-470
- Electrophysiology studies, cardiac, conscious sedation for, administration of, 317-318
 - assessment for, 315-316
 - capnography in, 317
 - cost of versus general anesthesia, 423-424
 - drugs for, 318-322
 - equipment for, 317
 - monitoring of, 316-317
 - postsedation care and, 322-323
 - standards for, 315
 - conscious sedation in, **313-324**
 - history of, 313-314
 - physical sensations during, 315
 - population undergoing, 314-315
- Embolization, of tumors, 335
 - intravenous sedation and analgesia in, 339
- Emergency department, in gunshot victim assessment, 196-198
- EMLA (eutectic mixture of local anesthetics), in conscious sedation, in children, 389
- Emotional abuse, of adult, 145
 - of children, clinical manifestations of, 180
 - family dynamics in, 180
 - management of, 180-181
- Endoscopic retrograde cholangiopancreatography (ERCP), conscious sedation in, 356-357
- Endoscopy, conscious sedation in, **355-360**
 - common procedures in, 356-358
 - medications in, 358
 - nursing care and, pre-, intra-, and postprocedure, 357-359
 - elective, patient needs in, 355
 - emergency, patient needs in, 356
 - registered nurse in, competency requirements for, 359
 - responsibilities of, 359
- Enteral feeding tube, placement of, intravenous sedation and analgesia in, 338
- Environment, as context for decision making, 40-41
 - external, 40-41
 - internal, 40
- ERCP (endoscopic retrograde cholangiopancreatography), conscious sedation in, 356-357
- ERT. See *Estrogen replacement therapy (ERT)*.
- Esophageal dilatation, conscious sedation in, 356-357
- Esophagogastroduodenoscopy (EGD), conscious sedation in, 356
- Esophagus, stenting of, intravenous sedation and analgesia in, 338
- Estrogen, effect of, on antipsychotic drugs, 462
 - on hemostasis, 540

- Estrogen (*Continued*)
 on lipid profile, 450-451
 on prostacycline, 450
- Estrogen replacement therapy (ERT). See also
Hormone replacement therapy (HRT).
 cardioprotective effect of, controversies in, 539-541
 coronary heart disease reduction with, 539-540
 thromboembolism with, 540
- Ethic of caring, definition of, 115
 versus ethics of principles, 31-32
- Ethical decision, **1-11**
 components of, 2
 context of, 2
 decision maker in, 2
 problem in, 2
 assessment of, 10-11
 identification of, 9-10
 patients understanding of, 4
- Ethical decision making. See also *Managerial decision making*.
 best interests standard in, 98
 by emancipated minor, 97
 by parents, best interests and, 101
 futile care and, 101
 research in, 101
 by surrogate, advance directives for, 97-98
 durable power of attorney for, 98
 case study application of, 51-52
 children on ICU and, admission to unit, 99-100
 conflict between parents and health-care
 providers, 100-101
 diagnosis, prognosis, informed consent, 100
 nursing behaviors and, 101
 considerations in, agent, 8-10
 cost-benefit, 9
 justification of outcomes, 9
 procedural accuracy, 9
 responsibility, 8-9
 feminist process approach model for, 81-82
 feelings in, 81-82
 observation of consequences in, 82
 problem in, definition of, 81
 interventions and solutions for, 81-82
 recognition of, 81
 for children, **97-105**
 best interests in, 103
 family's interests in, 103
 financial considerations in, 102-103
 life-sustaining treatment issues in, 102
 parental consent in, 102
 parents as decision makers, 98-99
 surrogates in, 97-98
 third party payer review of, 102
 in critical care patient, **45-52**
 ethics concepts in, 45-48
 process of, 48-52
 in critical care unit, **115-122**
 application to common case example, 118-122
 as shared process, 117
 clinical model for, 117-118
 contextual features in, 117-118
 limitation of treatment. See *Limitation of treatment*.
 medical indications in, 117-118
 patient preferences in, 117-118
 quality of life and, 117-118
 interdisciplinary conflict in, **13-27**. See also
 Interdisciplinary conflict.
- managerial decision making and, **35-44**
 need for nurse training in, at University of Texas
 Medical Branch, forum for, 123-124
 national, 123
 principlism in, critique of, 31-33
 principles and methods of, **29-33**
 process of, **45-52**
 algorithm for, 49
 analysis and selection of consequences of action
 in, 50
 collection, analysis, interpretation of data in, 48
 comparison with nursing process, 63
 consideration of choices of action in, 49-50
 decision in, 50-51
 declaration of choice in, 7
 decomposition of alternatives in, 4
 empiric description of, 2-3
 information seeking and processing in, 5-6
 postdecision appraisal, 7-8
 salience in, 3-4
 statement of dilemma in, 48-49
 strategy in, 6-7
 questions in, for patient, 53-54
 substituted judgement in, 98
- Ethical issues, contextual factors in, economic, 80
 institutional, 80-81
 social, 80
 in heart transplantation, prepregnancy, 526-527
- Ethics, autonomy in, 30, 45-46
 beneficence in, 30, 46
 best interest in, 47
 description of, 76
 fidelity in, 46
 justice in, 30, 46
 key concepts in, 45-48
 nonmaleficence in, 30, 46
 obligations in, 47
 principles of, 29-30, 115
 ethics of caring versus, 31-32
 normative, 112-113
 rights in, 47-48
 veracity in, 47
- Ethics committee, evaluation of, steps in, 132-133
 format of, 130-131
 formation of, in intensive care unit, **129-133**
 literature search for, 130
 mission statement of, 130
 multidisciplinary approach on, 132
 nursing staff interaction on, 132
 record keeping for, 131
 sample topics discussed, 131-132
 stakeholders for, identification of, 129-130, 132
 strategies in, 129
- Etomidate, in conscious sedation, 285-286
- Euthanasia, limitation of treatment versus, 116
- Exercise, cardiovascular, in mitral valve prolapse
 syndrome, 560
 physiology of, in women, 448-449
- Exercise electrocardiography, in women, abnormal
 electrocardiogram response in, 448-449
 advantages and disadvantages of, 470
 false positive changes in, 470
- Family. See also *Advance directive(s)*; Incompetent
 patient; Parents.
 as decision maker for incompetent patient, **107-114**

- counseling of, about advance directives, **53-61**
 dynamics of, in child abuse, 176, 178, 180
 education of, for cardiac rehabilitation, 582
 expectations of, workplace violence and, 224
 in ethical decision making, cognitive capacity of, 7
 postdecision appraisal and, 8
 of critical care unit patient, limitation of treatment
 decision and, 120-122
 of violence victim, 238-239
 interventions with, 241
 structure of, culture and, 66
- Feminism, as mode of analysis relevant to nursing
 issues, 75-76
 as perspective on nursing ethics, **75-83**
 in nursing ethics, 80-81
 questioning stance of, 75
 self-care and nurse-patient-doctor power
 relationships, 78-80
- Feminist Therapy Code of Ethics, comparison with
 Code for Nurses, 77
 social action and, 82-83
- Fentanyl (Sublimaze), in conscious sedation, 283-285,
 305-306, 308
 in children, 388
 in electrophysiology testing, 319-320
 in endoscopy, 358
 in implantable cardioverter defibrillator placement,
 329-330
 in radiofrequency ablation, 319-320
 of elderly, 377-378
 in interventional radiologic oncology, 346
- Fentanyl-droperidol combination (Innovar), in
 conscious sedation, 320
- Fetus, of heart transplant recipients, risks to, 527, 529,
 530
- Fibrillation, atrial, in women, 546
 supraventricular, gender differences in, 546
 ventricular, gender differences in, 547-548
- Fibrinolysis, definition of, 536
 pathway for, 536
- Fidelity, 46
- Filipino-Americans, ethical decision making by, 69-70
 health-related decision making by, 70
 time concept of, 67
- Firearm fatalities, in adolescents, 203
 in children and youths, from handguns, 202
 incidence of, 201-202
 race and, 202
- Firearm injuries. *See also Violence, among children
 and youth.*
 case study of, 237
 to children and youth, prevention of, 204-209
 Brady Handgun Violence Prevention Act and,
 205
 community-based coalitions for, 208
 gun safety in home in, 207-208
 legislative and regulatory approaches to,
 205-207, 209
 taxation of firearms and ammunition in,
 205
- Firearm violence, **193-200**
 Ceasefire Oregon and, 242
 children and, **201-210**
 cost of, economic, 193-194
 in years of potential life, 194-195
 gun control laws and, 198-199
 incidence and prevalence of, 193
 injuries related to, 194-195
- interventions in, collaborative, 196-198
 emergency department, 196-198
 intensive care unit, 198
 prehospital, 196
 mechanism of injury in, cavitation, 194-195,
 194-196
 kinetic energy, 194
 muzzle blast, 195
 velocity, 195
 yaw, 195, 197
 mortality from, 193-194
 Oregon Silent March program against, 242
 shotgun, 195-196
- Fluid intake, in mitral valve prolapse syndrome, 560
- Fluid losses, classification of, 197
- Flumazenil (Romazicon), in benzodiazepine overdose,
 in conscious sedation, 283, 285, 307, 330-331
 in conscious sedation, in children, 389
 in endoscopy, 358
- Forensic nursing, rape and, 173
- Fractures, in child abuse, 176-177
- Frail elderly, abuse and neglect of, 145
- Futile care, 119-120
 in pediatrics, 101
- Gang violence, 204, 208
- Gastrointestinal system, aging of, 373-374
- Gender bias, in angiography referral, 472-473
 in cardiac transplantation, 521-523
- General anesthesia, definition of, 412
- Glasgow Coma Scale, in sedation assessment, 400
- Haldol. *See Haloperidol (Haldol).*
- Haloperidol (Haldol), in conscious sedation, of elderly,
 378
- Handguns, elimination of access to children and
 adolescents, 205
 firearm deaths from, 202
 in adolescent suicide, 203
- Head injury, sedation in, 403-405, 408
- Health care proxy, designation of, 53
 samples of, 58-59
- Heart, size and functioning of, gender differences in,
 469
- Heart failure, in women, **511-519**
 epidemiology of, 511-514
 etiology of, 514
 incidence of, 511-512
 medical management of, 516-517
 morbidity in, 512-513
 compliance with treatment plan and, 514
 mortality from, 512
 prevalence of, 512
 psychosocial issues in, 517-518
 quality of life in, 517-518
 risk factors for, 513-514
 multicenter survival drug trials in, 514-516
- Hemorrhage, classification of, 197
- Hemorrhagic stroke. *See also Ischemic stroke.*
 and women, 482-483
 mortality rate and, 482
 prevention of, nurses' role in, 483-484
 risk factors for, 482-484
 screening for, 484

- Hemorrhagic stroke (*Continued*)
etiology of, 482
incidence of, 482
mortality rate with, 482
prognosis in, 482
- Hemostasis, coagulation pathways in, 535-536
definition of, 535
in pregnancy, 537
in women, 450
phases in, 535
- Heparin, for thromboembolism, in pregnancy, 537-538
- Herbalism, 591, 593-594
- High-density protein (HDL), in women, 449
- HIV testing, in child sexual abuse, 179
- Holistic health, nurses and, 596
practices in, basis of, 590-591
classification of, 591
public versus professional attitude toward, 589
research in, 590, 592
versus biomedical, allopathic model, 589-591
resources for, 597
- Holistic health options for women, 589-599
- Homeopathy, 593
- Homicide, child, 202-203
risk factors for, 150
- Homocysteine, plasma level of, in women versus men, 450
- Hormonal changes, in women, as risk factor, for stroke, 480
- Hormone replacement therapy (HRT). See also *Estrogen replacement therapy (ERT)*.
as risk factor, for coronary heart disease, 491
- Hospice care, 121
- Hospital, aggression in, 222
violent acts in, 221-222
- Hydromorphone (Dilaudid), in interventional radiologic oncology, 347
- Hypertension, as risk factor, for heart failure, 513-514
for stroke, in women, 479
essential, in women, hemorrhagic stroke in, 482
in prenatal period, immunosuppressant-induced, 527
nurses' role in, in stroke prevention, 481
intervention program for, 483-484
- Hypertriglyceridemia, as risk factor, for coronary heart disease, gender differences in, 491
- Hypochondriasis, in coronary heart disease, 571-572
- ICD. See *Implantable cardiac defibrillator (ICD)* placement.
- Illness and health, cultural concept of, 67-68
- Immunosuppressant therapy, psychosocial issues with, in women, 525
risks with, fetal, 530
maternal, 530
- Implantable cardioverter defibrillator (ICD) placement, conscious sedation in, 325-327
assessment for, 328-329
case study of, 331-333
complications of, 329
deep, 326-327
guidelines for, 327-328
medications for, 329-331
nursing responsibilities in, 328
transvenous versus thoracotomy approach in, 325
- Incompetent patient. See also *Competence*.
advance directives and, 97-98, 111
family as decision maker for, advance directives for, 111
adverse effect on family and, 108
best interest standard in, 112
bioethics normative principles and, 112-113
decision of interest in, 109-110
ethical issues in, 110-111, 110-113
framework for, 107-108
health care team roles and, 111
substituted judgment in, 112
- ICU setting and, 107-109
cost and reimbursement issues in, 108-109
individual freedoms and, 108
technologic imperative in, 107-108
nurse-physician conflict in decision making, 111
- Information, about patient and family, 20-21
in ethical decision making, processing of, 5-6
- Informed consent. See also *Presumed consent*.
for conscious sedation, 307, 328
in ambulatory setting, 365
risk management and, 432-433
in rape examination, 168, 169
nurse-doctor conflict in, example of, 79
of competent adult, 97
- Inhalation anesthesia, in pediatrics, 386-387
- Innovar. See *Fentanyl-droperidol combination (Innovar)*.
- Intensive care unit (ICU), care of incompetent patient on, family as consultant in, 109
financial and legal considerations in, 108-109
incrementalist approach in, 107-108
firearm injury interventions in, 198
- Intercostal block, in interventional radiologic oncology, 349
- Interdisciplinary conflict, explanations for, 25-26
in ethical decision making, 13-27
belief of moral superiority, 14-15
clinical judgement styles and, 16-18
of doctors, 17
of nurses, 17-18
information about patient and family in, 20-21
doctors, 20
nurses, 20
social workers, 20-21
perceptions of legal repercussions, 21-22
doctors, 21-22
nurses, 21
social workers, 22
perspectives of nurses, doctors, social workers, 14
perspectives on prognosis and, 18-20
denominators in, 18-19
propagation of stereotypes and myths in, 15
truth in, 15-16
views of autonomy and advocacy in, medicine, 23-24
nursing, 22-23
social work, 24
resolution of, 24-25
results of unresolved, 24
- Intracerebral hemorrhage (ICH). See *Hemorrhagic stroke*.
- Intravenous conscious sedation (IVCS). See also *Conscious sedation*.
administration of, 257

- benzodiazepines in, 254, 281-285
 definitions of, 261, 341
 drugs in. *See Medication.*
 guidelines for, American Academy of Pediatrics, 251-252
 American Society of Anesthesiologists, 252
 implementation of, 253
 Joint Commission on Accreditation of Health Organizations, 252
 ideal agent for, 281
 management and monitoring of, 341
 nursing practice in, professional guidelines for, 337, 342
 opiates in, 254-255, 281-286
 policy issues in, 251-252
 practice issues in, 412
 radiologic nurses and, clinical responsibilities of, 337, 341-342
 registered nurse and, role of, 261-262, 341-342
 St. Elizabeth's Medical Center, Boston, assessment in, pre-procedure, 268-269
 collaborative model for, **251-272**
 credentialing for, 253
 cross-training for, 256-257
 data collection in, 259, 271
 development of collaborative policy by, 252-253
 discharge planning in, 257-258
 drugs in, administration of, 257
 pharmacokinetics of, 254-255
 equipment for, 257
 evaluation of, 259
 grand rounds in, patient focused, 253, 256
 guidelines for, 263-267
 implementation of, 258-259
 record review in, 272
 staffing for, 256-257
 task force formation by, 252
 Intravenous fluids, administration of, in gunshot injury, 1997-1998
 crystalloid versus colloid, 197-198
 Ischemic stroke. *See also Hemorrhagic stroke.*
 and women, 478-482
 case study of, 478-479
 risk factors for, 479-481
 pathophysiology of, 478
 prevention of, in women, nurses' role in, 481-482
 risk factors for, in women, 479-481
 Isoenzymes, in hepatic metabolism, 461
 Isolation, social, 145
 IVCS. *See Intravenous conscious sedation (IVCS).*
- Jewish-Americans, ethical decision making by, 71
 Justice, 46
 in ethical decision making, 30
- Kappa-opioid analgesics, analgesic response to, gender differences in, 456-457
 Ketamine, in conscious sedation, 285-287
 in children, 388
- Lacerations, from bombing incidents, 234
 Lactation, antidepressant drugs during, 462
- Latino culture, and ethical decision making, 69
 ethical decision making and, 69
 time concept in, 67
 Left ventricle mass, in women, 447-448
 Left ventricular hypertrophy (LVH), as risk factor, for
 heart failure, 513-514
 for stroke, in women, 479
 ventricular arrhythmias in, gender differences in, 549
 Legal issues, in violent injury, 240
 incompetent patient on intensive care unit and, 108-109
 perceptions of, doctors,' 21-22
 nurses,' 21
 social workers,' 22
 Legislation, for victims of violence, nursing involvement in, 242
 Lidocaine (Xylocaine), in interventional radiologic oncology, 348
 Lifestyle modification, as complementary therapy, 595-596
 following percutaneous transluminal coronary angioplasty, 501
 Limitation of treatment, case study of, **115-122**
 contextual considerations in, 119
 ethical question in, 119
 quality of life in, 119
 family conference for, 120
 futile treatment, 119-120
 legal parameters for, 116
 management conference for, 120
 negotiation algorithm for, 120-121
 patient preference in, 120
 postdecision, alternatives for, 121-122
 informing family, 120-121
 recommendations for, 120
 versus euthanasia, 116
 Lipid profile, estrogen effect on, 450-451
 in women, 449-450
 Lipoprotein A (Lp(a)), blood levels of, gender differences in, 449
 Lipoprotein profile, coronary heart disease risk and, 491
 improvement in, exercise for, 491-492
 Living donation, children and, 88
 controversies in, 88
 Living will, 53, 97-98
 Local anesthetics, in pediatrics, 386-387
 in radiologic oncology, interventional, 348
 Lorazepam (Ativan), in conscious sedation, 282, 284
 of elderly, 378
 in interventional radiologic oncology, 343-344
 Low-density lipoprotein (LDL), in women, 449
 levels of, gender differences in, 491
- MAC (monitored anesthesia care), cost of, 424-425
 Magnesium, dietary, in mitral valve prolapse syndrome, 559-560
 medicinal use of, 596-597
 Managerial decision making, **35-44**
 clinical care decision making and, 37-38
 research in, 37-38
 Strategies to Investigate Clinical-Cost Kinetics program in, 37
 countervailing effect in, 42-43
 dilemmas in, 42-43

- Managerial decision making (*Continued*)
 environmental contexts in, 40-41
 for effectiveness, 38
 for efficiency, 38-39
 potential for, 36-37
 strategies for, 39-40
 mixed scanning, 40
 rational-comprehensive, 40
 satisfying, 40
 synergistic conditions in, 42
 technologies in, categories of, 41
 classification framework for, 42
 interactions of, 41-42
- Marfan's syndrome, in women, hemorrhagic stroke from, 483
- Mechanical ventilation, sedation in, long-term, 407-408
 short-term, 406-409
- Medical insurance, cardiac transplantation and, in women, 522
- Medication, in conscious sedation, antihistamine, 305
 benzodiazepines, 254, 281-285, 305-306, 329, 342-344, 378
 butyrophene, 287
 major tranquilizers, 378-379
 opiates, 254-255, 281-286, 343
 opioids, 329-330, 347-348
 phenothiazine, 287, 378
 selection of, 413
- Medicolegal considerations, in conscious sedation, 438
- Men, as rape victims, 172-173
- Menopause, hemostasis in, and cardiovascular risk, 538
 hormone replacement therapy during, drug interactions in, 465
- Menstrual cycle, pharmacology during, 463
- Meperidine (Demerol), in conscious sedation, 284, 286
 in cardiovascular procedures, 306, 308
 in children, 388
 in elderly, 378
 in electrophysiology testing, 319-320
 in endoscopy, 358
 in implantable cardioverter defibrillator placement, 330
 in radiofrequency ablation, 319-320
 in interventional radiologic oncology, 346
- Meperidine-promethazine-chlorpromazine combination, in conscious sedation, in children, 389
- Metabolism, of drug, dosing regimens and, 461
 during menstrual cycle, 463
 during pregnancy, 464
 gender differences in, 460-461
 hepatic, gender differences in, 460-461
 oral contraceptives and, 463
- Methohexital (Brevital Sodium), in conscious sedation, in children, 389
- MI. See *Myocardial infarction (MI)*.
- Midazolam (Versed), in conscious sedation, 282-283
 in cardiovascular procedures, 305-306
 in children, 388
 in elderly, 378
 in electrophysiology testing, 318, 320
 in endoscopy, 358
 in implantable cardioverter defibrillator placement, 329-330
 in radiofrequency ablation, 318, 320
 in interventional radiologic oncology, 343, 345
- Mind-body control, 591, 595
- Mitral valve prolapse (MVP), arrhythmias in, gender differences in, 549-550
 sudden death in, 549-550
- Mitral valve prolapse syndrome, **555-564**
 abnormalities in, metabolic and neuroendocrine, 556
 cardiovascular exercise for, 560
 catecholamine and cAMP stimulation, avoidance of, 561
 classification of, 556
 complications of, 561-562
 diagnosis of, 556-558
 auscultation in, 557
 echocardiography in, 558
 family history in, 557
 history in, 557
 foot elevation in, 561
 locomotion in, 561
 nonpharmacologic management of, 558-561
 measurement of success of, 562-563
 nurses' role in, 555
 nutritional approaches to, 558-560
 prevalence of, 555
 pursed-lip breathing in, 561
 stress reduction in, 560-561
 symptoms of, 555-556
 factors contributing to, 557
- Monitored anesthesia care (MAC), cost of, 424-425
- Monitoring, of conscious sedation, 290
 equipment for, 317
 cost of, 426
 for adverse drug events, 287
 in ambulatory procedures, 365
 in cardiac procedures, 308, 316-317
 in critically-ill patient, 398-399
 in radiologic oncology, 341
 in recovery period, 322-323
 in risk management, 435-437
- Morphine, in conscious sedation, 283-284
 in cardiovascular procedures, 307-308
 in children, 388
 in elderly, 378
 in electrophysiology testing, 319-320
 in radiofrequency ablation, 319-320
- Multicenter Investigation of the Limitation of Infarct Size (MILIS), gender as heart failure risk in, 513-514
- Munchausen syndrome by proxy, 143
- Myocardial biopsy, conscious sedation in, 309
- Myocardial infarction (MI), arrhythmias following, gender differences in, 548
 depression following, gender differences in, 569-570
 gender differences in, 490
 in coronary heart disease process, 489
 in women, **489-496**
 cardiac catheterization for, 493
 coronary angiography and revascularization following, 473
 heart failure following, 513-514
 in coronary artery bypass grafting, 493
 incidence of, 489
 medications for, 492-493
 percutaneous transluminal coronary angioplasty for, 493

- rehabilitation following, 567
 - symptom onset in, 492
 - mortality rates in, gender differences in, 493, 566
 - pathophysiology of, 489-490
 - quality of life following, gender differences in, 568-569
 - sedation in, 406, 408
 - Myths, of health-care professionals, about ethical decision making, 15
- Nalbuphine (Nubain), in conscious sedation, in
- elderly, 378
 - in electrophysiology testing, 319
 - in radiofrequency ablation, 319
- Naloxone (Narcan)
- in conscious sedation, in children, 389
 - in endoscopy, 358
 - in narcotic overdose, in conscious sedation, 284, 286, 307, 331
- Narcan (naloxone). See *Naloxone (Narcan)*.
- Narcotics. See also *Opiates; Opioids*.
- in conscious sedation, in cardiovascular procedures, 305-306
- Native Americans, ethical decision making by, 70-71
- Neglect, in children, 142
- clinical manifestations of, 180
 - definition of, 180
 - management of, 180
- in elderly, 184, 186, 188
- as mistreatment, 183
 - examples of, 185
 - physical findings in, 188
 - recognition of, 145-146
 - self-neglect, 186
- in frail elderly, recognition of, 145
- Nephrostomy, percutaneous, intravenous sedation and analgesia in, 339
- Neurolytic celiac plexus block (NCPB), in
- interventional radiologic oncology, 349-350
- Neuromuscular blockade, in critically-ill patients, 401-403
- agents for, 407-409
- Newcastle Sedation Score, in sedation assessment, 401-402
- NHBCDs (non-heartbeating cadaveric donors), 88
- Nitrites, avoidance of, in mitral valve prolapse syndrome, 559
- Non-heartbeating cadaveric donors (NHBCDs), 88
- organ procurement from, 93-94
- Nonmaleficence, in ethical decision making, 30, 46
- Nubain (nalbuphine). See *Nalbuphine (Nubain)*.
- Nurse-doctor conflict, feminism and, 78-80
- in decision making for incompetent patient, 111
- Nurses, clinical judgment styles of, 17-18
- information about patient and family and, 20
- Nursing, Code for Nurses and, 76-77
- views of autonomy and advocacy in, 22-23
- Nursing ethics, feminist view of, **75-83**
- forum for, **123-128**
 - Code for Nurses and, 125-126
 - demanding patient case study, 127
 - evolution of, 126-127
 - future directions for, 127
 - incompetent patient case study, and withholding or withdrawing of treatment, 124-125
 - on infectious disease unit, with disenfranchised population, 123-124
 - outcomes and nursing practice changes with, 127-128
 - program development for, 124-125
 - right to refuse treatment case study, 126
 - patient advocacy focus of, 76
- OAA/S (Observer's Assessment of Alertness/Sedation Scale), in sedation assessment, 401-402
- Obligation(s), legal, 47
- moral, 47
- Observer's Assessment of Alertness/Sedation (OAA/S) Scale, in sedation assessment, 401-402
- Oklahoma bombing, **231-236**
- disaster management of, lessons learned in, 234-236
- Open heart surgery, sedation in, 405-406, 408
- Opiate agonist, in conscious sedation, 320
- Opiates. See also *Narcotics; Opioids*.
- in conscious sedation, 281-286
 - of elderly, 377-378
 - in intravenous conscious sedation, 254-255
- Opioids. See also *Narcotics; Opiates*.
- in conscious sedation, in implantable cardioverter defibrillator placement, 329-330
 - in interventional radiologic oncology, 343, 347-348
- Oral contraceptives, as risk factor, for coronary heart disease, 491
- drug effects on, 463-464
 - effect of, on pharmacokinetics, 463-464
 - vascular complications with, 539
- Organ donation, criteria for, historical perspective
- on, 86
 - cultural considerations in, 68-71
 - donor shortage for, 85
 - eligibility guidelines for, 86-87
 - for solid organs, 87
 - fears in, 91-92
 - financial incentives for, 93
 - future of, 93-94
 - grief of family and, 91
 - mandated choice for, 93
 - misconceptions regarding, cost of, 92
 - effect on funeral arrangements, 92
 - mechanical supports issues, 93
 - religious and cultural, 92
 - organ donor card of patient, 91
 - patient's surrogate in, 91
 - presumed consent for, 93
 - procurement process in, 85, 88-93
 - attitudes and knowledge in, 89
 - conflict of interest for nurses, 90
 - coordination with autopsy in, 89-90
 - family and, 91
 - obstacles to, 88-89
 - primary doctor and, 90
 - psychosocial issues in, 89
 - state laws and, 90
 - Required Request policies and, 86
 - Uniform Anatomic Gift Act and, 91
 - withdrawal of treatment and, **85-95**
- Organ donors, brain dead, alternatives to, 87-88
- living, 87-88

- Organ donors (*Continued*)
 non-heartbeating, 88
 non-heartbeating cadaveric, procurement process in, 93-94
- Osteoporosis, following cardiac transplantation, in women, 525
- Outcomes, in coronary artery bypass grafting, gender differences in, 498-500
 in percutaneous transluminal coronary angiography, gender differences in, 499-500
 justification to self and society, in ethical decision making, 9
 nursing clinical ethics forum and, 127-128
- Oxygen, in conscious sedation, 434
- Oxygen transport, in women, 448
- Pacemaker, cardiac, placement of, conscious sedation in, **325-334**. See also *Implantable cardioverter defibrillator (ICD)* placement.
- Pain, gender differences in, as reported by critically ill patients, 454-456
 descriptions of, 456
 for analgesia response, 456-457
 for clinical pain problems, 454
 for perception, 453-454
 studies of, experimenter bias in, 454
 hormonal status and, 454
 in interventional radiologic procedures, 336-337
 neuropathic, 337, 340
 physiologic sources of, 340
 somatic, 340
 threshold for, definition of, 453
 tolerance of, definition of, 453
 types of, 340
 visceral, 340
 women and, **453-458**
- Palliative care, 121
- Pancuronium bromide, in critically-ill patient, 408
- Panic attacks, cognitive therapy for, 561
 coping strategies for, 572
 in women, with coronary heart disease, 571, 572
- Parents. See also *Family*.
 abusive, physically, 176
 autonomy of, limitations on, 98
 conflict with health-care providers, 100-101
 consent to treatment by, 102
 perspective of, 99
 relationship with health-care providers and, 99-101
- Patient autonomy. See *Autonomy*.
- Patient education, for cardiac rehabilitation,
 cardiovascular critical care nurse, 582
 nurses' role in, in stroke prevention, 481-482
- Pediatrics, conscious sedation in, **381-394**
 agents in common use for, 388-389
 combination regimens in, 387
 complications of, cardiovascular, 387, 390
 management of, 390
 respiratory, 387
 reverse reactions, 390
 discharge following, criteria for, 390
 inhalation agents in, 386-387
 local anesthetics in, 386-387
 nursing implications in, 388-392
 policy for, 418
 pre-, intra-, post-procedure, 390-392
 procedures requiring, 384-385
 recommendations of American Association of Pediatrics for, 381, 384
 routes and agents used in, 384-387
 deep sedation in, 381
- Percutaneous balloon valvuloplasty, conscious sedation in, 310
- Percutaneous biopsy, in oncology patient, intravenous sedation and analgesia in, 338
- Percutaneous transhepatic biliary drainage (PTBD), intravenous sedation and analgesia in, 339
- Percutaneous transluminal coronary angioplasty (PTCA), conscious sedation in, 309
 for myocardial infarction, in women, 493
 gender differences in, baseline characteristics in, 497-498
 for outcomes, long-term, 499-500
 for pain intensity following, 456
 mortality following, 498-499
 restenosis following, 500-501
- Pericardiocentesis, conscious sedation in, 310
- Peripartum cardiomyopathy (PPCM). See also *Cardiac transplantation*.
 heart transplantation for, 521
- Pharmacodynamics, definition of, 461
 gender differences in, 461-463
 for antidepressant drugs, 462
 for antidepressants, 462
 for antiepileptic drugs, 462
 for antipsychotic drugs, 461-462
 for cardiovascular drugs, 462-463
 in elderly patient, 376
- Pharmacokinetics, definition of, 374-375, 459
 gender differences in, 459-461
 for absorption, 460
 for hepatic metabolism, 460-461
 for protein binding, 460
 for renal elimination, 460
 for volume of distribution, 460
 in elderly patient, 375-376
- Pharmacology, and drug therapeutics, gender-related considerations in, **459-468**
 during female life span, 463-465
 during menstrual cycle, 463
 during pregnancy, 464-465
 of estrogen replacement therapy, 465
 of oral contraceptives, 463-464
- Phenergan. See *Promethazine (Phenergan)*.
- Phenothiazines, in conscious sedation, 287
 of elderly, 378
- Physical abuse. See also *Domestic violence*.
 domestic, 144-145, 159-161
 during pregnancy, **149-157**
 reasons for, 150
 versus before, 150
 of children, 142-144
 abdominal and gastrointestinal trauma in, 177
 bruises from, 176
 burns in, 176
 central nervous system injuries from, 177
 clinical manifestations of, 176-177
 cultural care practices versus, 143
 definition of, 175-176
 family dynamics in, 176
 indicators of, 177

- injuries from, common, 143
 - management of, 177-178
- laboratory studies in, 177-178
- radiography in, 178
- reporting of, 178
- risk factors in, 144
- sadistic, 143-144
- skeletal injuries from, 176-177
- of elderly, definition of, 146
- indications of, 146
- victims of, 145
- Physical and sexual abuse. *See also Physical abuse; Sexual abuse.*
 - recognition of victims of, **141-148**
- Plasminogen activator inhibitor-one (PAI-1), in
 - women, 450
- Platelets, in hemostasis, 536
- Pleural block, in interventional radiologic oncology, 349
- Posttraumatic stress disorder (PTSD), following violent injury, 238
 - in child witness of community violence, 218
 - risk factors for, 218
- Power of attorney, special, 60
- Practice issues, in conscious sedation, administration in, 416
 - advanced cardiac life support, 414
 - clinical management, 413
 - comprehensive policy, 417
 - coordination of care, 412-413
 - discharge following, 413-414
 - emergency preparedness, 415
 - Joint Commission on Accreditation of Healthcare Organizations requirements, 416
 - management of unplanned procedure, 416
 - medication selection, 413
 - patient teaching, 413
 - professional standards, 416-417
 - quality monitoring, 414
 - questions and definitions, 417-418
 - registered nurse training, 414-415, 414-416
 - unlicensed personnel, role of, 415
- Pregnancy, abuse during, assessment of, 151-153
 - documentation of, 153
 - implications of, 149-150
 - intervention in, 150-151
 - strategies for, 153-155
 - prevalence of, 149
 - hemostatic changes in, 537
 - pharmacokinetics during, 464-465
 - physiologic changes in, effect on heart transplant recipient, 527-528
 - prophylaxis for, in child sexual abuse, 179
 - rhythm disturbances during, 550
 - thromboembolism in, risk factors for, 537
 - violence during, **149-157**
- Prejudice, toward disabled persons, 240
- Premature atrial beats, in pregnancy, 550
- Premature ventricular beats, in pregnancy, 550
- Premature ventricular contractions, post myocardial infarction, gender differences in, 548
- Presumed consent. *See also Informed consent.*
 - for organ donation, 93
- Prognosis, interdisciplinary conflict of professional perspectives on, cues in, 19
 - usefulness of aggressive care and, 19
 - work patterns and, 19-20
- Promethazine (Phenergan), in conscious sedation, of elderly, 378
- Propofol (Diprivan), in conscious sedation, 285-286
 - in elderly, 379
 - in electrophysiology testing, 319
 - in implantable cardioverter defibrillator placement, 330-331
 - in radiofrequency ablation, 319
 - in interventional radiologic oncology, 345
- Protein binding, during pregnancy, 464-465
 - gender differences in, 460
- PTBD (percutaneous transhepatic biliary drainage), intravenous sedation and analgesia in, 339
- PTCA (percutaneous transhepatic biliary drainage), conscious sedation in, 309
- PTSD. *See Posttraumatic stress disorder (PTSD).*
- Public health, violence and, 204-205, 212
- Pursed-lip breathing, in mitral valve prolapse syndrome, 561
- Quality of life, in heart failure, gender differences in, 517-518
 - limitation of treatment and, 117-119
- Radiofrequency catheter ablation, cardiac, conscious sedation in, **313-324**
 - administration of, 317-317
 - assessment for, 315-316
 - capnography in, 317
 - drugs for, 318-322
 - equipment for, 317
 - monitoring of, 316-317
 - postsedation care and, 322-323
 - standards for, 315
 - history of, 313-314
 - indications for, 314
 - physical sensations during, 315
 - population undergoing, 314-315
- Radiologic oncology, interventional, procedures in, 336-339
 - sedation and analgesia in, **335-353**
 - assessment and documentation in, 350-351
 - discharge planning in, 351
 - factors influencing, 336
 - goals of, 335-336
 - local anesthetics in, 348
 - opioids in, 343, 347-348
 - pharmacologic management of, 342-350
 - postprocedure care in, 351
 - preoperative preparation for, 350
 - regional techniques in, 348-350
 - sedating agents, 342-345
 - selection of, 343
- Ramsay Sedation Score, in sedation assessment, 400-401
- Ramsay's Level of Sedation Scale, 294-295
- Rape, definition of, 167-168
 - epidemiology of, 168
 - examination in, evidentiary, 169
 - window for, 168
 - history taking in, 170
 - informed consent for, 168

Rape (*Continued*)

- medical, 169-171
 - for physiologic injuries, 170-171
 - protocols for, 168
- history of, 168
- injuries in, genital and rectal, 170-171
- nongenital, 170
- psychological, 171
- specialty areas in, disabled persons, 172
- elderly, 172
- male victim, 172-173
- pediatrics, 171-172
- Rape trauma syndrome, 171
- Re-enactment, of trauma, for caregivers, 241
- for youth, 240-241
- Registered nurse, in conscious sedation administration,
 - cost of versus monitored anesthesia care specialist, 424-425
 - in endoscopy setting, 359
 - risk management and, 429-432
 - role of, 261-262, 341-342
 - training for, 414-416
- Rejection, of heart transplant, chronic, in prenatal
 - period, 527
 - in women, 524
 - mechanisms in, 523-524
- Renal elimination, of drug, during pregnancy, 464
- pharmacokinetics of, 461
- Renal system, aging of, 373-374
- Reporting, of child abuse, physical, 178
- sexual, 172, 179
 - of elder mistreatment, 184, 188-189
- Required Request, for organ donation, 86
- Respiratory system, aging of, 372-373
- Responsibility, in ethical decision making, 8-9
- Revised Addenbrooke's Sedation Score, in sedation
 - assessment, 401
- Right to refuse treatment, 116
- Rights, ethical (moral), 47
 - option (choice), 48
 - welfare (legal), 47
- Risk and benefits, in ethical decision making, 4-5
- Risk management, in conscious sedation, **429-440**
 - emergencies and, 437-438
 - goals of sedation and, 433-434
 - interprocedural nursing care in, 434
 - intravenous access in, continuous, 434
 - medication administration and, 434-435
 - medicolegal considerations in, 438
 - monitoring in, 435-437
 - oxygen availability in, 434
 - policies for, written, 439
 - pre-procedure activities in, 432-433
 - production pressure and, 438-439
 - registered nurse practice and, 429
 - external resources for, 431-432
 - preparation for, 430-431
 - requirements for safe care in, 432
- Role, changes in, in cardiac rehabilitation and
 - recovery, gender differences in, 580-581
- Romazicon (flumazenil). *See Flumazenil (Romazicon).*
- Salience, in ethical decision making, 3-4
- School-age children, exposure to violent act, strategies
 - with, 215

Sedation. *See also Sedatives.*

- deep, anesthesiologist support in, 336-337
 - in diagnostic and therapeutic procedures, 315, 326-327
- levels of, 412
- sedatives for. *See Sedatives.*
- Sedatives. *See also Sedation.*
 - in conscious sedation, **281-288**
 - adverse event monitoring with, 287
 - benzodiazepines, 281-285
- Seizures, sedation in, 405, 408
- Self-determination, as American value, 63-64
- Self-talk, positive, for stress, 573
- Sexual abuse, adult, 145
 - of children, abuser in, 171
 - behavioral signs of, 143
 - clinical manifestations of, in boys, 179
 - in girls, 178-179
 - sexually transmitted disease, 179
 - definition of, 142, 178
 - documentation of, 179
 - family dynamics in, 178
 - management of, 179
 - physical examination in, 179
 - rape, 171-172
 - recognition of, 142
 - reporting of, 172, 179
 - signs and symptoms of, 172
- Sexual function, in women, cardiac rehabilitation and, 580
- Sexual offender, of children, 178
- Sexually transmitted disease, in child sexual abuse, 179
- Shaking injuries, in child abuse, 177
- Sinus tachycardia, in pregnancy, 550
- Social action, feminist ethical code for nursing and, 82-83
- Social workers, clinical judgment styles of, 18
 - information about patient and family and, 20-21
 - perceptions of legal issues, 21-22
 - perspectives of, 14
 - views of autonomy and advocacy, 24
- Socioeconomic status, of women, coronary heart
 - disease and, 566
- Sodium intake, in mitral valve prolapse syndrome, 560
- Southeast Asians, ethical decision making by, 70
- Space, culture and personal, 66
- Staffing, in intravenous conscious sedation, 256
- State boards of nursing, conscious sedation and, 361
- Stenting, tracheobronchial or esophageal, intravenous
 - sedation and analgesia in, 338
- Stereotypes, of health-care professionals, in ethical
 - decision making, 15
- STICK (Strategies to Investigate Clinical-Cost
 - Kinetics), 37
- Strategies to Investigate Clinical-Cost Kinetics
 - (STICK), 37
- Stress, and coronary heart disease, in women, **565-575**
 - caregiver, disaster management and, 235
 - treatment approaches to, in women, 572-573
- Stress echocardiography, advantages and
 - disadvantages of, 472
- dipyridamole in, 472
- Stress reduction, in mitral valve prolapse syndrome,
 - 560-561
 - techniques for, 560-561

- Stress response, person-environment transactional model of, for coronary heart disease in women, 567-568
- Stress thallium scintigraphy, in women, advantages and disadvantages with, 471-472
false positive results with, 471
pharmacologic stress with, 471
single-photon emission computed tomography in, 471
- Stroke. See also *Hemorrhagic stroke*; *Ischemic stroke*.
and women, 477-487
hemorrhagic, 482-484
ischemic, 478-482
impact of, on population, 477-478
incidence of, 477
mortality from, 477
risk factors for, 478-479
- Stroke volume, increase in, mechanism in women, 448
- Study of Left Ventricular Failure (SOLVD), of
angiotensin-converting enzyme inhibitors, gender differences and, 515-516
- Sublimaze. See *Fentanyl* (*Sublimaze*).
- Substituted judgment, in family decision making, 98, 112-113
- Sudden cardiac death, gender differences in, 548-549
in mitral valve prolapse syndrome, 561
- Suicide, adolescent, firearms in, 203
elder, case study of, 238, 243
- Support groups, for family of violence victim, 241
for violence victims, adult and elderly, 241
- Surrogates, for incompetent adult, 91, 97-98
- Tachycardia, ventricular, gender differences in, 547-548
- Technologic imperative, in ICU interventions, 107-108
- Technology, managerial, definition of, 35
evaluation of interactions in, 41-42
medical, definition of, 35
- TEE (transesophageal echocardiography), conscious sedation in, 309
- Thallium scintigraphy, stress, and false positive results in women, 471
- Threat assessment, 224, 226-227
- Thromboembolism, in pregnancy, risk factors for, 537
postpartum, management of, 537-538
venous, with estrogen replacement therapy, 540
- Thrombolytic drugs, for myocardial infarction, in women, 492-493
- Thrombosis, prevention of, following coronary artery bypass grafting, 501
following percutaneous transluminal coronary angioplasty, 501
- Thrombosis and hemostasis in women, 535-543. See also *Hemostasis*; *Thromboembolism*; *Thrombosis*.
hormones and, exogenous, 539-541
menopause and, 538
pregnancy and, 537-538
- Time, cultural concept of, 66-67
- Tissue plasminogen activator (tPA), in women, 450
- Topical anesthesia, in endoscopy, 358
- Torsades de pointes, gender differences in, 547
in women, cardiac drug-related, 547
- Transesophageal echocardiography (TEE), conscious sedation in, 309, 357
- Trauma, abdominal and gastrointestinal, in child abuse, 177
re-enactment of, 240-241
- Trauma and grief, of adolescent witnesses of violence, 213
of child witnesses of violence, 212-213
- Triage, in disaster management, 233-234
- Triglyceride, blood levels of, gender differences in, 449
- Uniform Anatomic Gift Act, 91
- Uniform Determination of Death Act, 86
- Valium. See *Diazepam* (*Valium*).
- Vasodilators, for heart failure, in women, 515-516
- Vecuronium bromide, in critically-ill patient, 407-408
- Velocity, in firearm injury, 195
- Ventricular tachycardia, in pregnancy, 550
- Veracity, 46
limitation of, 46
- Versed. See *Midazolam* (*Versed*).
- Victim(s), child, assessment of, 146-147
of emotional abuse, 180
of neglect, 180
of physical abuse, 176
of sexual abuse, 178
media rights of, 214-215
of abuse, assessment of, 146-147
of domestic violence, 144
assessment of, 147
blaming of, 161-162
of elder mistreatment, 145
assessment of, 147
of rape, 171-173
of violence, adult, 241
caregivers and, 241-242
elderly, 241
families of, 238-239, 241
friends of, 241
youth, 240-241
- Violence, aftermath of, 237-244
case studies of, 237-238, 243
outcomes of, 243
against women, blaming victim in, 161-162
gender role stereotyping in, 162-163
medical patriarch and, 161
among children and youth, contributing factors in, 203-204
gangs and, 204, 208
media and, 204, 208
revolving door juvenile justice system and, 204
sociocultural factors for, 203
as public health problem, 204-205
preventable, 212
children at risk for, 208
community. See also *Community violence*.
impact on child witnesses, 211-220
domestic, children and, 144
recognition of, 144-145
women and, 144
during pregnancy, 149-157
firearm, 193-200

Violence (*Continued*)

- hospital, aggression, 222
 - physical acts, 221-222
 - injury from, considerations in, caregiver, 239
 - family, 238-239
 - patient, 238
 - societal, 239-240
 - costs of, direct and indirect, 239-240
 - disability from, prejudice and, 240
 - legal issues in, 240
 - of rape, 167-174
 - Oregon response to, 242
 - public health approach to, 198-199
 - victims of, adult, 241
 - caregivers and, 241-242
 - elderly, 241
 - family and friends of, 241
 - interventions with, 240-242
 - witnesses as indirect, 211
 - youth, 240-241
 - workplace, 221-229. See also *Workplace violence*.
- Visitors, in disaster management, 236
- Volume of distribution, drug, gender differences in, 460
- Volunteers, in disaster management, 236
- Warfarin, in pregnancy, 538
- Warm ischemia, organ donation and, 88
- Withdrawal of treatment, and organ donation, 85-95
 - in organ donation, 85-95. See also *Organ donation*.
- Withholding and withdrawing life support, decision of family of incompetent patient, 109-110

- Withholding and withdrawing of treatment, advance directives for, 61
- judicial perspective on, 116
- Women, domestic violence and, 144, 161-163
 - who return to abusive relationships, 159-165. See also *Abusive relationships, women who return to*.
- Workplace violence, critical incident debriefing following, 227
- definition of, 221
- first-line interventions for, 226-227
- health professionals and, 227-228
- in hospitals, downsizing risk factor for, 223-224
 - drug and money availability in, 223
 - patient/family expectations and, 224
 - situational factors in, 223
 - societal changes and, 223
 - types of, 221-222
- prevalence, prevention, intervention and, 221-229
- prevalence of, 222
- prevention of, 224-225
 - education in, 225
 - fair employee treatment, 225-226
 - protective equipment and alarm systems in, 227
 - supervisory training in, 225
 - threat assessment in, 224, 226
 - self-protection techniques and, 227
 - threat assessment in, 224, 226-227

Xylocaine. See *Lidocaine (Xylocaine)*.

Yaw, in firearm injury, 195, 197

Youth, as victim of violence, interventions following, 240-241

